



DEMO KEYED NOTES

- (1) REMOVE EXISTING WATER CLOSET, TRIM AND ALL ASSOCIATED PIPING TO FURTHEST POINT POSSIBLE. REPAIR FLOOR PENETRATION(S)
 TO EQUAL FIRE RATING OF EXISTING FLOOR SLAB.
- 2 REMOVE EXISTING LAVATORY, TRIM AND ALL ASSOCIATED AND PIPING TO FURTHEST POINT POSSIBLE. REPAIR FLOOR PENETRATION(S) TO EQUAL FIRE RATING OF EXISTING FLOOR SLAB.
- ③ REMOVE EXISTING SINK, TRIM AND ALL ASSOCIATED PIPING TO FURTHEST POINT POSSIBLE. REPAIR FLOOR PENETRATION(S) TO EQUAL FIRE RATING OF EXISTING FLOOR SLAB.
- 4 EXISTING 4" STORM RISER TO REMAIN.
- (5) EXISTING 6" STORM RISER TO REMAIN.
- 6 EXISTING LAVATORY TO REMAIN. ALL EXISTING SERVICES IN THE CHASE THAT SUPPLIES EXISTING FIXTURES NOT BEING REMOVED ARE TO REMAIN.
- (7) EXISTING VENT RISER TO BE RELOCATED. REFER TO RENOVATION DRAWINGS.

GENERAL NOTES

1.) THE OWNER'S RECORDS OF THE EXISTING MECHANICAL, ELECTRICAL AND PLUMBING (MEP) SYSTEMS HAVE BEEN USED AS THE BASIS OF DESIGN. SUCH RECORDS ARE ASSUMED TO BE ACCURATE, AND HAVE BEEN RELIED UPON FOR THE PREPARATION OF CONSTRUCTION DOCUMENTS.

1 PLUMBING- LEVEL 1 DEMO PLAN

SCALE: 1/8" = 1'

VA FORM 08-6231

1 PLUMBING- LEVEL 2 DEMO PLAN

SCALE: 1/8" = 1'

"ISSUED FOR BIDS"-FULLY SPRINKLERED

Project Title Drawing Title Project Number 674A4-CSI-516 08/02/10 09/03/10 SCHEMATIC DESIGN SUBMISSION CONSULTANTS: ARCHITECT/ENGINEERS: Office of DESIGN DEVELOPMENT SUBMISSION **BUILDING 11 ADDITION AND PLUMBING** 11/22/10 CONSTRUCTION DOCUMENT SUBMISSION Construction WILSON ARCHITECTURAL GROUP Building Number INTERIOR RENOVATIONS LEVEL 1 AND 2 DEMO PLANS 12/19/11 ISSUE FOR BIDS and Facilities Approved: Project Director Drawing Number BURNS DELATTE AND McCOY, INC. Location MEP ENGINEERS Management WACO, TEXAS PINNACLE STRUCTURAL STRUCTURAL ENGINEERS Burns, DeLatte & McCoy, Inc. Texas Registered Engineering Firm F-685Checked PROTECTION DEVELOPMENT INC. FIRE PROTECTION ENGINEERS Department of Veterans Affairs 19 DEC 2011 BREWER AND ESCALANTE Dwg. 06 of 09 CIVIL ENGINEERS